

Message

From: Byrne, Eric (DPH) [/O=COMMONWEALTH OF MASSACHUSETTS/OU=MASSMAIL-01/CN=RECIPIENTS/CN=ERIC.BYRNE]
Sent: 3/21/2011 6:29:45 PM
To: Hanchett, James (DPH) [/O=COMMONWEALTH OF MASSACHUSETTS/OU=MassMail-01/cn=Recipients/cn=James.Hanchett]
Subject: RE: Any Word on Printer Fix and New Printers

Hi Jim,

I checked with the Lab and Tom McGuire said that EHS needs to pay for the repairs. I'm trying to get information from 250 Washington about how we go about that.

Tom said that the paperwork for the new printers was sent over to EHS. He is waiting to hear back. As far as I know everything was approved - not sure what the holdup is and getting information is getting more and more difficult. I'll pass along whatever I hear.

-Eric

From: Hanchett, James (DPH)
Sent: Monday, March 21, 2011 10:50 AM
To: Byrne, Eric (DPH)
Subject: Any Word on Printer Fix and New Printers

Hi Eric,

Any word on getting our printer fixed it is only 2 years old. Also have you heard any word about the new printers, we have not received any new printers; we did receive the USP to LPT adapter you ordered.

Jim

Jim Hanchett
Amherst Drug Lab
Room N251 Morrill I
637 North Pleasant Street
Amherst, MA 01003
Phone 413-545-2607
Fax 413-545-2608
Cell [REDACTED]